






No symptoms added yet























CONTINUE >













2 - Choose Symptoms

Searc

Body View

Enter a symptom (e.g. headache)





### Common Symptoms

Headache	Jh	Add
Nausea		Add
Abdominal Pain		Add
Back Pain		Add
Joint Pain		Add

VIEW POSSIBLE CONDITIONS >





### Page Animates in



# "Headache" Added to your Medical Bag!

#### **Related Symptoms:**

Nausea	Add
Abdominal Pain	Add
Back Pain	Add
Joint Pain	Add

### < ADD MORE SYMPTOMS



VIEW POSSIBLE CONDITIONS >





Bag Shakes

MY SYMPTOMS

2 - Choose Symptoms

2 \ 1

Searc

Body View

Enter a symptom (e.g. headache)





Common Symptoms

Headache Add


Nausea Add


Abdominal Pain Add

Back Pain Add

Joint Pain Add

VIEW POSSIBLE CONDITIONS











 $\rangle 2 \rangle 3 \rangle$ 

4 - Condition Details






### Gastroenteritis

#### Overview

Gastroenteritis is irritation of the stomach and intestines. Viruses, bacteria, parasites, or food-borne illness can cause it. Gastroenteritis symptoms include abdominal pain and cramping, nausea, diarrhea, and vomiting. While sometimes called the "stomach flu," the flu virus does not cause gastroenteritis. The illness usually spreads easily from contact with a sick person. Eating or drinking contaminated food or beverages also will spread the illness. Most people recover in a few days by drinking plenty of fluids and resting. Antibiotics treat gastroenteritis caused by bacteria or some parasites. Infants, older adults, and people with chronic illnesses are at higher risk for dehydration from gastroenteritis.





Female

Add Fatigue

Add Rash

Abdominal pain

Back pain

Sore throat

Breathing difficulty

Add

Add


Add

Add



VIEW CONDITIONS

Male






MY SYMPTOMS

No symptoms added yet

yet VIEW CONDITIONS









2 - Choose Symptoms


3 > 4

5

Searc

Body View

Enter a symptom (e.g. headache)






### **Common Symptoms**


Headache Add

Nausea


Abdominal Pain Add






















# 5 - Treatment



Treatment: Gastroenteritis

## Self-Care

Self care for gastroenteritis includes:

Drinking clear fluids such as

- electrolyte drinks, broths, teas, and water for the first 24 hours Avoiding solid foods until nausea and
- vomiting stop Rest

# When to See Your Doctor

If you can't keep fluids down, your symptoms get worse, or symptoms don't get better after a day or two, call your doctor. Get immediate medical attention if you have severe abdominal pain, vomit blood, see blood in your stool, or have black tarry stools. If an infant is vomiting or has diarrhea, watch for signs of dehydration, such as crying with no tears, a sunken fontanel (soft spot on the head), or a dry diaper after several hours. Call your doctor immediately.

Questions to Ask Your Doctor


- Is gastroenteritis of another condition causing my symptoms? Am I contagious? Do I need to stay
- home from work or school? How much and what type of fluids
- should I drink? Should I tell you if my symptoms change?
- Could this be something more serious than a virus?

### Specialists Near You New York, NY 10001


















2 - Choose Symptoms

3 >

5

Searc

Body View



Enter a symptom (e.g. headache)






### **Common Symptoms**


Headache Add


Nausea

Abdominal Pain Add





















2 - Choose Symptoms


3 > 4 >


Searc
Body


Tap a body part
































**SYMPTOMS** 


**CONDITION ABOVE** 



< CHANGE SYMPTOMS

CHOOSE A CONDITION ABOVE







●●○○○ Verizon 令



### Symptom Checker





 $2 \rightarrow 3 \rightarrow 4$  - Condition Details

L.

### Gastroenteritis

#### Overview


Gastroenteritis is irritation of the stomach and intestines. Viruses, bacteria, parasites, or food-borne illness can cause it. Gastroenteritis symptoms include abdominal pain and cramping, nausea, diarrhea, and vomiting. While sometimes called the "stomach flu," the flu virus does not cause gastroenteritis. The illness usually spreads easily from contact with a sick person. Eating or drinking contaminated food or beverages also will spread the illness. Most people recover in a few days by drinking plenty of fluids and resting. Antibiotics treat dastroenteritis

< BACK TO CONDITIONS

**TREATMENT** 



●●○○○ Verizon 令



# Symptom





Checker

4 - Condition Details


### Gastroenteritis

#### Overview

Gastroenteritis is irritation of the stomach and intestines. Viruses, bacteria, parasites, or food-borne illness can cause it. Gastroenteritis symptoms include abdominal pain and cramping, nausea, diarrhea, and vomiting. While sometimes called the "stomach flu," the flu virus does not cause gastroenteritis. The illness usually spreads easily from contact with a sick person. Eating or drinking contaminated food or beverages also will spread the illness. Most people recover in a few days by drinking plenty of fluids and resting.

Antibiotics treat gastroenteritis





# Treatment: Gastroenteritis

### Calf care for goetroentarit

Self-Care

Self care for gastroenteritis includes:Drinking clear fluids such as

- electrolyte drinks, broths, teas, and water for the first 24 hours
  Avoiding solid foods until nausea and vomiting stop
- vomiting stop Rest

When to See Your Doctor

If you can't keep fluids down, your symptoms get worse, or symptoms don't get better after a day or two, call your doctor. Get immediate medical attention if you have severe abdominal pain, vomit blood, see blood in your stool, or have black tarry stools. If an infant is vomiting or has diarrhea, watch for signs of dehydration, such as crying with no tears, a sunken fontanel (soft spot on the head), or a dry diaper after several hours. Call your doctor immediately.

# Questions to Ask Your Doctor

- Is gastroenteritis of another condition causing my symptoms?
   Am I contagious? Do I need to stay
- home from work or school?

  How much and what type of fluids
- should I drink?
   Should I tell you if my symptoms change?
- Could this be something more serious than a virus?

# Specialists Near You New York, NY 10001

